

# PROCOAT UNIVERSAL MCR

Date of issue: 1 March 2023

NZ Safety Data Sheet

## 1. Identification of the Substance/Mixture and Supplier.




Product name:	Procoat Universal MCR (425-100, 116, 117, 118, 119, 121, 122, 126, 153, 206, White, Titania, Gull Grey, Covert, Black Base, Black, Ironsand, Iron Grey, Barn Red and Valley Green)
Application:	Paint
Company:	DECORA GROUP LTD 7 Akatea Road, Glendene, Auckland, New Zealand.
Telephone:	09 818 9215
Facsimile:	09 818 7862
Emergency telephone:	0800 761 333

## 2. Hazards Identification.

**HSNO Status:** Classified as hazardous according to the criteria of HSNO. HSNO approval number HSR002679

**DG Status:** Not classified as Dangerous Goods according to NZS5433

**Signal Word:** WARNING

HAZARD CLASSIFICATIONS HSNO	HAZARD STATEMENTS	GHS Pictogram
Skin sensitisation Category 1	H317 May cause an allergic skin reaction.	
Carcinogenicity Category 2	H351 Suspected of causing cancer.	
Reproductive toxicity Category 2	H361 Suspected of damaging fertility or the unborn child.	
Hazardous to the aquatic environment chronic Category 3	H412 Harmful to aquatic life with long lasting effects.	N/A

### PREVENTION STATEMENTS

P103	Read label before use.
P104	Read Safety Data Sheet before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing fume/gas/mist/vapours.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.

### RESPONSE STATEMENTS

P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P308+P313	IF exposed or concerned: Get medical advice/ attention.

### STORAGE STATEMENTS

P405	Store locked up.
------	------------------

### DISPOSAL STATEMENTS

P501	Refer to Section 13.
------	----------------------

# PROCOAT UNIVERSAL MCR

Date of issue: 1 March 2023


NZ Safety Data Sheet

<b>3. Composition/Information on Ingredients.</b>		
<u>Chemical Entity</u>	<u>CAS Number</u>	<u>Proportion %w/w</u>
Acticide MBS		<5
Texanol		<5
Troysan S-89		<0.3
Balance of ingredients: Non-hazardous, or below the hazardous threshold.		
<b>4. First Aid Measures.</b>		
<b>Swallowed</b>	If swallowed do NOT induce vomiting. Give water to drink. Get medical attention if symptoms occur.	
<b>Inhaled</b>	If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Obtain medical attention if symptoms occur.	
<b>Eye Contact</b>	If splashed in the eyes, wash out immediately with water. Obtain medical attention if irritation occurs.	
<b>Skin Contact</b>	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Get medical attention if symptoms occur.	
<b>Further Information</b>	For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately.	
<b>5. Fire-Fighting Measures.</b>		
<b>Suitable extinguishing media</b>	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .	
<b>Unsuitable extinguishing media</b>	High volume water jet.	
<b>Hazards from the substance</b>	In a fire or if heated, a pressure increase will occur and the container may burst.	
<b>Hazardous combustion products</b>	Decomposition products may include: Carbon oxides, Nitrogen oxides, Other noxious substances.	
<b>Special precautions for fire-fighters</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
<b>Special protective equipment for fire fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	
<b>6. Accidental Release Measures.</b>		
<b>Personal precautions</b>	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.	
<b>Environmental precautions</b>	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.	
<b>Large spill</b>	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal	

# PROCOAT UNIVERSAL MCR

Date of issue: 1 March 2023

NZ Safety Data Sheet

	contractor. Contaminated absorbent material may pose the same hazard as the spilt product.		
<b>7. Handling and Storage.</b>			
<b>Handling</b>	Wear appropriate PPE, and ensure there is adequate ventilation and extraction in the work area. Avoid skin or eye contact, or breathing in the product. Follow precautions listed in section 2 for handling flammable/combustible liquids.		
<b>Storage</b>	Keep container dry and tightly closed, in a cool, well-ventilated area, away from direct sunlight. Keep away from heat, sparks and open flame.		
<b>8. Exposure Control/Personal Protection</b>			
<b>Exposure Standards</b>			
No exposure limits set for the finished product, listed components below.			
Product/Ingredient	WES/TWA	WES/STEL	Reference
Limestone (Calcium Carbonate)	-/10mg/m <sup>3</sup>		NZ-WES
Titanium Dioxide	10mg/m <sup>3</sup>		NZ-WES
Quartz <sup>1</sup>	- /0.05mg/m <sup>3</sup>		NZ-WES
<sup>1</sup> Quartz is only a problem as a respirable dust, once bound it is non hazardous.			
Engineering Controls	General ventilation and local exhaust should be suitable to keep vapour concentrations below WES/TWA. Ventilation equipment should be explosion-proof when operating in flammable zones.		
Personal Protection			
Respiratory	Wear a vapour respirator if ventilation is inadequate.		
Eyes	Wear chemical goggles/face protection.		
Hands	Wear chemical gloves – PVC, Polychloroprene or Nitrile.		
Other	Wear overalls or dust coat. Use PVC apron when handling large quantities.		
			
<b>9. Physical and Chemical Properties</b>			
PROPERTY	SPECIFICATION		
Appearance (physical state, colour, etc.)	Liquid, MCR		
Odour	Not available		
Odour threshold	Not available		
pH	8.5-9.5		
Melting point/freezing point	Not available		
Initial boiling point and boiling range	Not available		
Flash point	Not available		
Flammability (solid, gas)	Not available		
Upper/lower flammability or explosive limits	Not available		
Vapour pressure	Not available		
Vapour density	Not available		
Relative density	1.18-1.33 (across the MCR)		
Solubility (ies)	Not available		

# PROCOAT UNIVERSAL MCR

Date of issue: 1 March 2023

NZ Safety Data Sheet

Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Kinematic viscosity	95-100KU
<b>10. Stability and Reactivity</b>	
<b>Stability</b>	The product is stable
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	None known.
<b>Incompatible materials</b>	None known.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>11. Toxicological Information</b>	
Original data sourced from CCID	
Classification:	Skin sensitisation Category 1
Health Effects:	May cause an allergic skin reaction
Reference:	Determined by applying mixture rules to ingredients.
Classification:	Carcinogenicity Category 2
Health Effects:	Suspected of causing cancer.
Reference:	Determined by applying mixture rules to ingredients.
Classification:	Reproductive toxicity Category 2
Health Effects:	Suspected of damaging fertility or the unborn child.
Reference:	Determined by applying mixture rules to ingredients.
Acute Oral Toxicity	Does not trigger HSNO classification
Acute Dermal Toxicity	Does not trigger HSNO classification
Acute Inhalation Toxicity	Does not trigger HSNO classification
Acute Aspiration Toxicity	Does not trigger HSNO classification
Skin Irritancy/Corrosion	Does not trigger HSNO classification
Eye Irritancy/Corrosion	Does not trigger HSNO classification
Respiratory Sensitisation	Does not trigger HSNO classification
Mutagenic	Does not trigger HSNO classification
STOT-SE	Does not trigger HSNO classification
STOT-RE	Does not trigger HSNO classification
Swallowed:	Not available
Inhaled:	Not available
Skin:	Not available
Eyes:	Not available
Chronic Effects:	Not available
Toxicity Data	
Product Acute Toxicity Estimate	
ORAL LD50	

# PROCOAT UNIVERSAL MCR

Date of issue: 1 March 2023

NZ Safety Data Sheet

>2000 mg/kg
DERMAL LD50 >2000 mg/kg
INHALATION LC50 (vapours) >20 mg/L/4H
INHALATION LC50 (dust/mist) >5 mg/L/4H

Product/Ingredient:	LD50 – Oral, mg/kg	LD50 – Dermal, mg/kg	LC50 – Inhalation, mg/L/4H
Softanol 90	502.51	4400	
Texanol	3200		
Troysan S-89	>2000		

## 12. Ecological Information

This product is classified as Ecotoxic according to the criteria of HSNO.

Ecotoxic Ingredients:

Ingredient	Classification
Softanol 90	Hazardous to the aquatic environment chronic Category 4
Acticide MBS	Hazardous to the aquatic environment chronic Category 2
Ammonia 910 25%	Hazardous to the aquatic environment chronic Category 1
Texanol	Hazardous to the aquatic environment chronic Category 3
Troysan S-89	Hazardous to the aquatic environment acute Category 1 Hazardous to the aquatic environment chronic Category 1

Product/Ingredient	Species, L(E)C50
	FISH
Ammonia 910 25%	Rainbow trout, 0.53mg/L
	CRUSTACEAN
Ammonia 910 25%	Daphnia Magna, 0.66mg/L
	ALGAL
Product/Ingredient:	
Persistence & Degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Other	Not available

Product Calculated Aquatic Ecotoxicity – L(E)C50 mg/L:  
Hazardous to the aquatic environment chronic Category 3: >10 - ≤100

Ecotoxicity Data – CCID – Not available

Persistence & Degradability - Not available

Mobility - Not available

# PROCOAT UNIVERSAL MCR

Date of issue: 1 March 2023

NZ Safety Data Sheet

Bioaccumulation Potential - Not available	
Other - Not available	
<b>13. Disposal Considerations.</b>	
Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.	
<b>14. Transportation Information.</b>	
Not regulated for transport. Keep separated from foodstuffs.	
<b>15. Regulatory Information.</b>	
Group Standard:	Surface Coatings and Colourants (Carcinogenic) Group Standard 2020.
HSNO Approval Number:	HSR002679
HSNO CONTROLS	
SDS required when any quantity is present in a workplace.	
Emergency Response Plan and Secondary Containment required when >1000L is present in a workplace	
Ecotoxic signage required when >1000L is stored.	
Certified Handler	Not Required
Tracking	Not Required
All ingredients are on the New Zealand Inventory of Chemicals (NZIoC), or exempt.	
Any existing national regulations on the handling of dangerous substances should be observed. Controls for hazardous substances are based upon current knowledge. Where multiple chemicals are stored, controls will need to take into account aggregate quantities. Contact a WorkSafe approved Compliance Certifier for further information and guidance.	
This material is not subject to the following agreements: <ul style="list-style-type: none"><li>• Montreal Protocol (Ozone Depleting Substances)</li><li>• The Stockholm Convention (Persistent Organic Pollutants)</li><li>• The Rotterdam Convention (Prior Informed Consent)</li></ul>	
<b>16. Other Information.</b>	
HSNO = Hazardous Substances and New Organisms Act 1996. EPA = Environmental Protection Authority CCID = Chemical Classification and Information Database (EPA) NZ WES = New Zealand Work Exposure Standard TWA = Time Weighted Average STEL = Short Term Exposure Limit MCR = Multi Colour Range	
Date of SDS Preparation: 1 March 2023 Replaces Version Dated: 4 August 2020	

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.