

# procoat

## Fence and Universal Paint



---

Proudly made in NZ, designed for superior performance  
in NZ conditions

---

**by aalto**

Aalto Group Ltd.  
7 Akatea Road, Glendene, Auckland 0602  
p: 0800 761 333 w: [aalto.co.nz](http://aalto.co.nz)

Procoat Fence Paint is a solid colour waterbased paint that provides an even, low sheen finish. High quality and formulated for New Zealand conditions, it has easy application properties, is low odour, and fast drying.


- ✓ Ideal for use on timber fences and trellis, including rough sawn timber fences, and fences previously painted with acrylic paint
- ✓ Coverage: from 4m<sup>2</sup> per litre on new rough sawn timber, to 10m<sup>2</sup> on smooth or previously painted timber
- ✓ Available in 6 popular colours
- ✓ Available in 10L



Ebony




Ironsand



Rustic Brown



Karaka



Scoria Red



Stone Grey

Procoat Universal Paint is a high quality multi-purpose and self-priming waterbased paint for use on all common exterior substrates, including timber, weatherboards, concrete, brick, galvanised iron and fibre cement.

- ✓ Enriched with linseed oil for improved penetration into timber
- ✓ Ideal for decks, fences, pergolas, sheds, garages and more
- ✓ Coverage: up to 12m<sup>2</sup> per litre, depending on the substrate
- ✓ Available in 10 popular colours
- ✓ Available in 10L, 4L and 1L sizes



Black



Covert



Ironsand



Iron Grey




Valley Green




Gull Grey



Barn Red



Mission Brown



Titania



White



The colours on this chart are representations only. Due to limitations in the printing process, these may not represent the true colour.

# Preparation

To achieve the best results, ensure the surface is dry, free from dirt, dust and other contaminants. Wash surfaces with Procoat Exterior House & Deck Wash prior to painting. Treat any moss and mould present.

## Procoat Exterior House & Deck Wash

A specially formulated cleaner designed to safely clean and maintain the exterior of your home. Ideal for use on exterior painted, stained and oiled surfaces prior to recoating, or as a maintenance wash to keep surfaces clean and extend the life of your coating.



# Application

Stir well before and during use with a broad flat paddle, using an up and down scooping motion.

For detailed preparation, application and maintenance details, refer to the product label or technical data sheet at [www.aalto.co.nz](http://www.aalto.co.nz) If you are unsure of the best product to use for your project, consult with your local Procoat stockist for recommendations.

To extend the life of your coating we recommend washing every 12 months with Procoat Exterior House & Deck Wash. This removes any surface contaminants and prevents the growth of moss and mould.

# Recommended Products

Substrate	Fence Paint	Universal Paint
Timber fences - new, bare timber	✓	✓
Timber fences - previously painted	✓	✓
Timber decks		✓
Galvanised iron		✓
Weatherboards		✓
Concrete		✓

# Quality Guarantee

Aalto guarantees that Procoat products are manufactured to the highest quality and are suitable for painting exterior substrates, provided they are applied and maintained as per label instructions.

All Procoat by Aalto products are manufactured within the international ISO 9001 accreditation standard. This guarantee does not cover coatings failure caused by any breakdown of previous coatings, substrates or mechanical damage.

All Procoat products are proudly made in NZ by Aalto Group. Aalto Group manufactures a trusted range of paints and coatings that provide a guaranteed, long lasting finish.

